

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant	:	Harold B. Dreyer)	Examiner:
)	Tara L. Mayo
Serial No.	:	10/814,372)	
)	Art Unit:
Cnfrm. No.	:	5490)	3671
)	
Filed	:	March 31, 2004)	
)	
For	:	BOOM SYSTEM FOR WATER FILTRATION)	
		IN SHALLOW WATER)	
)	

NOTICE OF APPEAL AND PETITION FOR THREE-MONTH EXTENSION

Mail Stop: **AF**
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Applicants hereby appeal to the Board of Patent Appeals and Interferences from the Primary Examiner's decision dated October 4, 2007, finally rejecting claims 1 and 5-20.

Applicants hereby request an extension of time of three months from the due date of January 4, 2008.

Please charge the \$255.00 appeal fee and the \$525.00 extension of time fee to Deposit Account No. 14-1138. Any additional fees or any overpayment can be charged/credited to Deposit Account No. 14-1138.

Respectfully submitted,

Date: March 28, 2008

/Edwin V. Merkel/
Edwin V. Merkel
Registration No. 40,087

NIXON PEABODY LLP
1100 Clinton Square
Rochester, New York 14604
Telephone: (585) 263-1128
Facsimile: (585) 263-1600